# SAFETY DATA SHEET



# **SECTION 1: IDENTIFICATION**

1.1.	Company Information	KALO, Inc., 13200 Metcalf Ave., Ste. 250, Overland Park, KS 66213
1.2.	Phone Numbers	800-255-5196 / 913-491-9146 FAX
1.3.	Website	www.kalo.com
1.4.	Product Identity	B10-90
1.5.	Reference/Item Number	BI9001, BI9002, BI9030, BI9055, BI90265
1.6.	Intended Use	Refer to package label.
1.7.	Application Method	Refer to package label.
1.8.	24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)	1-800-424-9300
1.9.	POISON CONTROL CENTER (USA)	1-800-222-1212

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1. LABEL ELEMENTS: Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:

	WARNING
2.2. Acute Tox. 4:	H302: Harmful if swallowed.
2.3. Acute Tox. 5:	H313: May be harmful in contact with skin. (Not adopted by U.S. OSHA.)
2.4. Eye Irrit. 2:	H319: Causes serious eye irritation.
2.5. STOT RE 2:	H373: May cause damage to organs through prolonged or repeated exposure. Specific target organs: kidney.
2.6. Prevention:	P260: Do not breathe mist, vapors or spray. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves and eye/face protection. P264: Wash thoroughly after handling.
2.7. Response:	P301+312: IF SWALLOWED: Call a poison center or doctor if you feel unwell. P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. P312: Call a poison center or doctor if you feel unwell. P337+313: If eye irritation persists, get medical advice/attention.
2.8. Storage:	No GHS storage statements.
2.9. Disposal:	P501: Dispose of contents/container in accordance with local/national regulations.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7). The chemical identities and exact weight percentages are being withheld as a Trade Secret.

3.1.	Ingredient/Chemical Designations:	Proprietary Blend of Surfactants
3.2.	CAS No.:	Trade Secret
3.3.	Weight %:	100
3.4.	Notes:	Substance classified with a health or environmental hazard.



# **SECTION 4: FIRST AID MEASURES**

DESCRIPTION	<b>NF</b>	FIRST	۸IN	MEASURES
DESCRIFTION	UL	I IN ST	AID	MILAJUNLJ

4.1.	General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.	
4.2.	Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.	
4.3.	Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.	
4.4.	Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.	
4.5.	Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.	
MOST	MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
4.6.	Overview:	No adverse symptoms or effects anticipated under normal handling conditions. See Section 2 for further details.	
4.7.	Eyes:	Causes serious eye irritation.	
4.8	Skin:	May be harmful in contact with skin. (Not adopted by U.S. OSHA.)	
4.9.	Ingestion:	Harmful if swallowed.	

# **SECTION 5: FIREFIGHTING MEASURES**

5.1.	Extinguishing Media:	Alcohol resistant foam, CO², powder, or water spray. Do not use water jet.
5.2.	Special Hazards Arising From the Substance/Mixture:	Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed. Never use welding or cutting torches on or near container, even if empty.
5.3.	Advice For Firefighters:	Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire-exposed surfaces and personnel.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1.	Personal Precautions, Protective Equipment, Emergency Procedures:	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.
6.2.	Environmental Precautions:	Do not allow spills to enter drains or water courses.
6.3.	Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

#### **SECTION 7: HANDLING AND STORAGE**

7.1. Precautions For Safe Handling:	Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and wash before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Have eyewash accessible to use in handling area. See Section 2 for further details.
7.2. Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area, away from excessive heat and incompatibles. See Section 2 for further details.
7.3. Incompatible Materials:	Oxidizing agents.



### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. CONTROL PARAMETERS/EXPOSURE

CAS No.	Ingredient	Source	Value	
	Proprietary Blend of Surfactants	OSHA	No Established Limit	
Proprietary		ACGIH	No Established Limit	
		NIOSH	No Established Limit	
EXPOSURE CONTROLS				
8.2. Respiratory	•	workers are exposed to c espirators.	oncentrations above the exposure limit, they must use the appropriate certified	
8.3. Eyes:		/ear safety eyewear (e.g. s	safety spectacles/goggles/visors) to protect against the splash of liquids.	
8.4. Skin:		lveralls, which cover the b hould be washed after con	ody, arms, and legs, should be worn. Skin should not be exposed. All parts of the body tact.	
8.5. Engineering	Controls: v	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.		
8.6. Other Work Practices: See product label.				

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. The physical properties and reported values are typical values based on the material tested but may vary from sample to sample. Thus, typical values should not be construed as a guaranteed analysis of any specific lot/batch or specification item.

Appearance:	Slight Hazy Pale Yellow Liquid	Initial Boiling Point/Range:	Not Measured
Odor:	Fatty	Melting Point/Range:	Not Measured
Odor Threshold:	Not Measured	Flammability (Solid, Gas):	Not Applicable
pH:	4.5-6.5	Upper Flammability/Explosive Limits:	Not Measured
Specific Gravity:	1.04-1.06	Lower Flammability/Explosive Limits:	Not Measured
Flashpoint and Method:	>200°F (>93.33°C)	Decomposition Temperature:	Not Measured
Solubility in Water:	Not Measured	Auto-Ignition Temperature:	Not Measured
Viscosity (dynamic):	Not Measured	Volatility:	Not Measured
Viscosity (kinematic):	Not Measured	Molecular Weight:	Not Measured
VOC%:	Not Measured	Oxidizing Properties:	Not Measured
Vapor Pressure (Pa):	Not Measured	Partition Co-Efficient n-octanol/water (Log Pow):	Not Measured
Vapor Density (air=1):	Not Measured	Evaporation Rate (Butyl Acetate=1):	Not Measured
Density (water=1):	Not Measured	Surface Tension:	Not Measured
Density (liquid):	Not Measured	Particle Size:	Not Measured
Freezing Point:	Not Measured	Other:	No other relevant information.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity:	Not chemically reactive.
10.2. Chemical Stability:	Stable under normal ambient and anticipated conditions of use.
10.3. Possibility of Hazardous Reactions:	Hazardous reactions not anticipated.
10.4. Conditions To Avoid:	Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.
10.5. Incompatible Materials:	Oxidizing agents.
10.6. Hazardous Decomposition Products:	Not anticipated under normal conditions of use.

# SAFETY DATA SHEET



# **SECTION 11: TOXICOLOGICAL INFORMATION**

ACUTE TOXICITY ESTIMATE (ATE): NOTE: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE.

11.1. Ingredients:	Proprietary Solvent and Surfactants
11.2. Oral, LD50mg/kg:	500 (rat)
11.3. Skin, LD50mg/kg:	>5,000.00 (rabbit)
11.4. Inhalation Vapor, LC50, mg/L/4hr:	11.00 (rat)
11.5. Inhalation Dust/Mist, LC50, mg/L/4hr:	No Data Available
11.6. Inhalation Gas. LC50. ppm:	No Data Available

#### CARCINOGEN

CAS No.	Ingredient	Source	Value	
		OSHA	Select Carcinogen: No	
Proprietary	Proprietary Blend of Surfactants	NTP	Known: No / Suspected: No	
L	<u> </u>	IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No	
ITEM		HAZARD		<u>CATEGORY</u>
Acute Toxicity (mouth):		Harmful if swallowed.		4
Acute Toxicity (skin):		May be harmful in contact with skin. (Not adopted by U.S. OSHA.)		5
Acute Toxicity (inhalation):		Not Applicable		
Skin Corrosion/Irritation:		Not Applicable		
Eye Damage/Irritation:		Causes serious eye irritation.		2
Sensitization (respiratory):		Not Applicable		
Sensitization (skin):		Not Applicable		
Germ Toxicity:		Not Applicable		
Carcinogenicity:		Not Applicable		
Reproductive Toxicity:		Not Applicable		
Specific Target Organ Systemic Toxicity-Single Exposure:		Not Applicable		
Specific Target Organ Systemic Toxicity-Repeated Exposure:		May cause damage to organs through prolonged or repeated exposure.		2
Aspiration Hazard:		Not Applicable		

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity:	No additional information provided for this product.
12.2 Aquatic Ecotoxicity:	Ecotoxicity studies have not been conducted on this preparation.
12.3. Persistence and Degradability:	There is no data available on the preparation itself.
12.4. Bioaccumulative Potential:	Not available.
12.5. Mobility In Soil:	No data available.
12.6. Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.
12.7. Other Adverse Effects:	No data available.

# SAFETY DATA SHEET



### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1.	Waste	Treatment	Methods:
-------	-------	-----------	----------

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.

13.2. Recycling Consideration:

Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit www.agrecycling.org.

### **SECTION 14: TRANSPORT INFORMATION**

14.1. DOT Proper Shipping Name:	<b>REGULATED IN CONTAINERS GREATER THAN 119 GALLONS ONLY!</b> UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (nonylphenol polyethylene glycol ether), 9, PG III, RQ, Marine Pollutant
14.2. DOT Hazard Class:	9
14.3. DOT Packing Group:	Ш
14.4. DOT Label:	9
14.5. IMDG Proper Shipping Name:	<b>REGULATED IN CONTAINERS GREATER THAN 119 GALLONS ONLY!</b> UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (nonylphenol polyethylene glycol ether), 9, PG III, RQ, Marine Pollutant
14.6. IMDG Hazard Class:	9
14.7. IMDG Packing Group:	Ш
14.8. IMDG Marine Pollutant:	Yes
14.9. ICAO/IATA:	<b>REGULATED IN CONTAINERS GREATER THAN 119 GALLONS ONLY!</b> UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (nonylphenol polyethylene glycol ether), 9, PG III, RQ, Marine Pollutant
14.10 CERCLA/DOT RQ	This material is shipped as a Class 9, Packing Group III (marine pollutant) when each package meets or exceeds 119 gallons (450 liters). Otherwise, it may be shipped as not regulated. (49 CFR § 171.4(c)(1))).

# **SECTION 15: REGULATORY INFORMATION**

15.1. Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).	
15.2. Toxic Substance Control Act (TSCA):	All ingredients of this product are listed on the TSCA inventory, or are not required to be listed on the TSCA inventory.	
15.3. National Fire Protection Association (NFPA):	Health Hazards: ND   Flammability: ND   Instability: ND   Special Hazards:	
15.4. U.S. EPA Tier II Hazards:	Fire= <u>NO</u> Sudden Release of Pressure= <u>NO</u> Reactive= <u>NO</u> Immediate (acute)= <u>YES</u> Delayed (chronic)= <u>NO</u>	
15.5. EPCRA 302–Extremely Hazardous (0.1%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.	
15.6. EPCRA 311/312-Chemicals and RQs (>0.1%):	Ethylene Glycol (5,000.00)	
15.7. EPCRA 313-Toxic Chemicals (>0.1%):	Ethylene Glycol	
15.8. Proposition 65-Carcinogens (>0.0%):	1,4-dioxane	
15.9. Proposition 65–Developmental Toxins (>0.0%):	Ethylene Glycol	
15.10. Proposition 65–Female Repro Toxins (>0.0%):	Ethylene Glycol	
15.11. Proposition 65–Male Repro Toxins (>0.0%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.	
15.12. Proposition 65–Label Warning:	WARNING: This product can expose you to chemicals including [ethane-1,2-diol], which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.	
15.13. N.J. RTK Substances (>1%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.	
15.14. PENN RTK Substances (>1%):	Diethylene Glycol	

## **SECTION 16: OTHER INFORMATION**

16.1. The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Company accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.