

SECTION 1: IDENTIFICATION

Company Information	KALO, Inc., 13200 Metcalf Ave., Ste. 250, Overland Park, KS 66213	
Phone Numbers	800-255-5196 913-491-9146 FAX	
Website	www.kalo.com	
Product Identity	LEEWAY ULTRA	
Reference/Item Number	LWYU01, LWYU02, LWYU30, LWYU55, LWYU265	
Intended Use	See technical data sheet.	
Application Method	See technical data sheet.	
24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)	1-800-424-9300	
POISON CONTROL CENTER (USA)	1-800-222-1212	

SECTION 2: HAZARDS IDENTIFICATION

HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S) AND SIGNAL WORD(S)

	WARNING
Acute Tox. 5:	H303: May be harmful if swallowed. (Not adopted by U.S. OSHA.)
Acute Tox. 4:	H332: Harmful if inhaled.
Skin Irrit. 2:	H315: Causes skin irritation.
Eye Dam. 2B:	H320: Causes eye irritation.
Carcinogen 2:	H351: Suspected of causing cancer.
Prevention:	P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P280: Wear protective gloves and eye/face protection. P264: Wash thoroughly after handling. P261: Avoid breathing dust, fume, gas, mist, vapors, spray. P271: Use only outdoors or in a well-ventilated area.
Response:	P308+313: IF EXPOSED OR CONCERNED: Get medical advice/attention. P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. P337+313: If eye irritation persists, get medical advice/attention. P302+352: IF ON SKIN: Wash with plenty of soap and water. P333+313: If skin irritation or a rash occurs, get medical advice/attention. P304+312: IF INHALED: Call a poison center or doctor/physician if you feel unwell. P340: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P362: Take off contaminated clothing and wash before reuse.
Storage:	P405: Store locked up.
Disposal:	P501: Dispose of contents/container in accordance with local/national regulations.



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as confidential business information.

Ingredient/Chemical Designations:	Proprietary Surfactant
CAS No.:	Proprietary
Weight %:	10% - 25%
Notes:	[1] Substance classified with a health or environmental hazard.
Ingredient/Chemical Designations:	Proprietary Surfactant
CAS No.:	Proprietary
Weight %:	1.0% - 10%
Notes:	[1] Substance classified with a health or environmental hazard.
Ingredient/Chemical Designations:	Glycerol
CAS No.:	0000056-81-5
Weight %:	1.0% - 10%
Notes:	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.
Ingredient/Chemical Designations:	Sulfuric Acid
CAS No.:	0007664-93-9
Weight %:	1.0% - 10%
Notes:	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.
Ingredient/Chemical Designations:	Ethanolamine
CAS No.:	0000141-43-5
Weight %:	1.0% - 10%
Notes:	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.
Ingredient/Chemical Designations:	Potassium Hydroxide
CAS No.:	0001310-58-3
Weight %:	1.0% - 10%
Notes:	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.



SECTION 4: FIRST AID MEASURES

[DESCRIPTIONS]

General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.		
Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.		
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.		
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.		
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.		
	[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]		
Overview:	No adverse symptoms or effects anticipated under normal handling conditions. See Section 2 for further details.		
Eyes:	Causes eye irritation.		
Skin:	Causes skin irritation.		
Ingestion:	May be harmful if swallowed. (Not adopted by U.S. OSHA.)		

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media:Recommended extinguishing media: alcohol resistant foam, CO2, powder, water spray. Do not use water jet.Special Hazards:Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus
may also be formed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. AvoidAdvice For Firefighters:Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other
drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Precautions/Procedures:	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.
Environmental Precautions:	Do not allow spills to enter drains or water courses.
Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

SECTION 7: HANDLING AND STORAGE

Precautions For Safe Handling:	Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and wash before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. See Section 2 for further details.
Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area, away from excessive heat and incompatibles. See Section 2 for further details.
Incompatible Materials:	Oxidizing agents.
Specific End Use(s):	See technical data sheet.



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Data:

This product contains the following ingredients with workplace exposure limits:

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerol	OSHA	TWA: 15mg/m³ (total), TWA: 5mg/ m³ (resp)
		ACGIH	TWA: 3mg/m³ (resp), TWA: 10mg/ m³ (mist)
		NIOSH	No Established RELs
		OSHA	TWA: 3 ppm (6mg/m³)
0000141-43-5	Ethanolamine	ACGIH	TWA: 3 ppm / STEL: 6ppm
		NIOSH	TWA: 3 ppm (8mg/m³) / ST: 6 ppm (15mg/m³)
		OSHA	No Established Limit
0001310-58-3	Potassium Hydroxide	ACGIH	Ceiling: 2mg/m ³
		NIOSH	C: 2mg/m ³
Proprietary	Proprietary Surfactant	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Proprietary Surfactant	OSHA	No Established Limit
Proprietary		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Sulfuric Acid	OSHA	TWA: 1mg/m ³
0007664-93-9		ACGIH	TWA: 0.2mg/m³ / A1, 1, Revised 2004
		NIOSH	TWA: 1mg/m ³

Carcinogen Data: This product contains the following ingredients (at greater than 0.1%) that are suspected of being, or known to be, a carcinogen under OSHA, NTP or IARC.

CAS No.	Ingredient	Source	Value
0000056-81-5		OSHA	Select Carcinogen: No
	Glycerol	NTP	Known: No / Suspected: No
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No
		OSHA	Select Carcinogen: No
0000141-43-5	Ethanolamine	NTP	Known: No / Suspected: No
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No
		OSHA	Select Carcinogen: No
0001310-58-3	Potassium Hydroxide	NTP	Known: No / Suspected: No
		NIOSH	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No
		OSHA	Select Carcinogen: No
Proprietary	Proprietary Surfactant	NTP	Known: No / Suspected: No
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No
	Proprietary Surfactant	OSHA	Select Carcinogen: No
Proprietary		NTP	Known: No / Suspected: No
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No
0007664-93-9	Sulfuric Acid	OSHA	Select Carcinogen: No
		NTP	TWA: 0.2mg/m³ / A1, 1, Revised 2004
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No



	[EXPOSURE CONTROLS]
Respiratory :	If workers are exposed to concentrations above the exposure limit, they must use the appropriate certified respirators.
Eyes:	Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.
Skin:	Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.
Engineering Controls:	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.
Other Work Practices:	See technical data sheet. See Prevention in Section 2.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Pale Yellow Liquid
Odor:	Fatty
Odor Threshold:	Not Measured
pH:	2.5 - 3.5
Specific Gravity:	1.16 - 1.17
Flashpoint:	>200°C (>93°C) SETA Flash Closed Cup
Solubility in Water:	Not Measured
Viscosity (cSt):	Not Measured
VOC%:	Not Measured
Vapor Pressure (Pa):	Not Measured
Vapor Density:	Not Measured
Melting/Freezing Points:	Not Measured
Initial Boiling Point/Range (°F/°C):	No Established Limit
Flammability (Solid,Gas):	Not Measured
Upper Flammability/Explosive Limits:	Not Measured
Lower Flammability/Explosive Limits:	Not Measured
Decomposition Temperature:	Not Measured
Auto-Ignition Temperature:	Not Measured
Partition Co-Efficient n-octanol/water (Log Kow):	Not Measured
Evaporation Rate (Ether=1):	Not Measured
Other:	No other relevant information.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Not chemically reactive.
Chemical Stability:	Stable under normal ambient and anticipated conditions of use.
Hazardous Reactions:	Hazardous reactions not anticipated.
Conditions To Avoid:	Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.
Incompatible Materials:	Oxidizing agents.
Hazardous Decomposition Products:	Not anticipated under normal conditions of use.



SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATE (ATE)		
Ingredients:	Proprietary Blend	
Oral LD50mg/kg:	>2,000.00/Category: NA	
Skin LD50mg/kg:	>2,000.00/Category: NA	
Inhalation Vapor/L/4hr:	11.00/Category: NA	
Inhalation Dust/Mist LC50mg/L/4hr:	1.50/Category: NA	
ITEM	HAZARD	CATEGORY
Acute Toxicity (mouth):	May be harmful if swallowed (Not adopted by U.S. OSHA.)	5
Acute Toxicity (skin):	Not Applicable	
Acute Toxicity (inhalation):	Harmful if inhaled.	4
Skin Corrosion/Irritation:	Causes skin irritation.	2
Eye Damage/Irritation:	Causes eye irritation	2B
Sensitization (respiratory):	Not Applicable	
Sensitization (skin):	Not Applicable	
Germ Toxicity:	Not Applicable	
Carcinogenicity:	Not Applicable	
Reproductive Toxicity:	Not Applicable	
Specific Target Organ Systemic Toxicity-Single Exposure:	Not Applicable	
Specific Target Organ Systemic Toxicity-Repeated Exposure:	Not Applicable	
Aspiration Hazard:	Not Applicable	

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Ecotoxocity studies have not been conducted on this preparation.	
Persistence and Degradability:	There is no data available on the preparation itself.	
Bioaccumulative Potential:	Not measured.	
Mobility In Soil:	No data available.	
Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.	
Other Adverse Effects:	No data available.	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.



SECTION 14: TRANSPORT INFORMATION

DOT Proper Shipping Name:	Not Regulated
DOT Hazard Class:	Not Applicable
DOT Packing Group:	Not Applicable
DOT Label:	None
IMDG Proper Shipping Name:	Not Regulated
IMDG Hazard Class:	Not Applicable
IMDG Packing Group:	Not Applicable
IMDG Marine Pollutant:	No
ICAO/IATA:	See Bill of Lading

SECTION 15: REGULATORY INFORMATION

Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA):	All ingredients of this product are listed on the TSCA inventory, or are not required to be listed on the TSCA inventory.
WHMIS Classification:	D2B
U.S. EPA Tier II Hazards:	$\label{eq:FiresMO} \textit{FiresMO} \textit{/} \textit{Sudden Release of Pressure=} \underline{NO} \textit{/} \textit{Reactive=} \underline{NO} \textit{/} \textit{Immediate (acute)=} \underline{YES} \textit{/} \textit{Delayed (chronic)=} \underline{YES} \textit{Vertical} \textit{YES}$
EPCRA 302–Extremely Hazardous (0.1%):	Sulfuric acid
EPCRA 311/312–Chemicals and RQs (>0.1%):	Ethylene glycol (5,000) / Phosphoric acid (5,000) / Potassium hydroxide (1,000) / Sulfuric Acid (1,000)
EPCRA 313–Toxic Chemicals (>0.1%):	Ethylene glycol / Sulfuric Acid
Proposition 65–Carcinogens (>0.0%):	Acetaldehyde / Oxirane / Diethanolamine / 1,4-dioxane
Proposition 65–Developmental Toxins (>0.0%):	Ethylene glycol
Proposition 65–Female Repro Toxins (>0.0%):	Oxirane / Ethylene glycol
Proposition 65–Male Repro Toxins (>0.0%):	Oxirane
N.J. RTK Substances (>1%):	Ethanolamine / Glycerol / Potassium hydroxide / Sulfuric acid
PENN RTK Substances (>1%):	Ethanolamine / Glycerol / Potassium hydroxide / Sulfuric acid

SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Company accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.