

SAFETY DATA SHEET

PIXY is a dry seed treatment designed to impart a

General Product Description:

shine on the finished treated seed.

Section 1: Company and Product Identification

Product Name: PIXY™

Product Code: AC-PIXYIBC

Company: Agrilead, Inc.

441 E. Lucas Street Russell, KS 67665 PH: 785-483-5000

Emergency Response:

INFOTRAC 800-535-5053

Section 2: Hazards Identification

While this material is not considered hazardous by the OSHA Hazard Communication Standard

OSHA/HCS STATUS: (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and

proper use of the product. This SDS should be retained and available for employees and other

users of this product.

Hazard Pictograms: Not Applicable

Signal Word: Not Note: a CAUTION signal word is included on the package label as good

Applicable measure to keep product out of reach of children.

Hazard Category: Non-classified

classified:

Hazard Statements:

Risk of cancer depends on duration and level of exposure. No evidence of risk to humans.

(TiO2)

Precautionary Statements:

Read label before use. Keep out of reach of children. If medical advice is needed, have product

container or label at hand.

Hazards not otherwise

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this

material may generate a dust which can cause mechanical irratation of the eyes, skin, nose and

throat.

Section 3: Composition / Information on Ingredients

| Ingredient Name | Cas# | % |
|------------------|------------|-------|
| Titanium Dioxide | 13463-67-7 | 25-50 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4: First Aid Measures

General Info:

In general, product does not have any acute hazard characteristics. Treat exposures

symptomatically as needed.

Eye Contact: Exposure to airborne concentrations above statutory or recommended exposure limits may

Potential acute health effects: cause irritation of the eyes. Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. **Skin Contact:** No known significant effects or critical hazards. **Ingestion:** No known significant effects or critical hazards.

PIXY-SDS 1 of 5 7-6-2015

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for

FIRST AID breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water

If ingested: to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if

symptoms occur.

FIRST AID Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if

If inhaled: symptoms occur.

FIRST AID Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and

Eye contact: remove any contact lenses. Get medical attention if irritation occurs.

FIRST AID Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical

Skin contact: attention if symptoms occur.

Note to Physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Section 5: Fire Fighting Measures

General Info: No specific fire or explosion hazard.

Extinguishing Method / Use an extinguishing agent suitable for the surrounding fire. There are no known extinguishing media that

Equipment: are unsuitable for use around this product.

Special protective actions for fire- Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

fighters: action shall be taken involving any personal risk or without suitable training.

Special protective Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

equipment for fire-fighters: with a full face-piece operated in positive pressure mode.

Hazardous Decomposition Info: Decomposition products may include the following materials: metal oxide/oxides.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures:Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.
Avoid breathing dust. Ventilate area if easy to do so. For personal protection, see section 8 of the SDS.

Small Spills: Move containers from spill area. Vacuum or sweep up material and place in a designated,

labeled waste container. Dispose of via a licensed waste disposal contractor.

Containment Equipment and Large Spills: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labele

water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste

disposal

Section 7: Handling and Storage

Safe Handling Precautions: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep

Recommendations for Storage: container tightly closed and sealed until ready for use. Containers that have been opened must be carefully

resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

containment to avoid environmental contamination.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contain

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information

on hygiene measures.

Incompatibilities: No specific data available.

hygiene:

Section 8: Exposure Control / Personal Protection

General / Engineering Controls:

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure

controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Work Clothing:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted, air-purifying or airfed respirator complying with an approved standard if a

risk assessment indicates this is necessary.

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

| Substances with Exposure Limits | CAS# | Exposure Limits |
|--|------------|--|
| | | OSHA PEL (United States, 2/2013). TWA: 15 mg/m ³ 8 hours. Form: Total dust |
| Titanium Dioxide | 13463-67-7 | OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m ³ 8 hours. Form: Total dust |
| | i | ACGIH TLV (United States, 4/2014). TWA: 10 mg/m ³ 8 hours. |

Section 9: Physical and Chemical Properties

Physical State: Solid [Powder] **Melting Point:** Not available

White Color: **Boiling Point/Range:** Not available

Oder: Oderless Not Tested pH: 2.51 **Relative Density:** Flash Point: Not applicable

VOC % **Lower Flam Limits:** Not tested

Section 10: Stability and Reactivity

Stability/Reactivity: The product is stable. There is no specific test data related to reactivity of this product or its ingredients.

Possibility of hazardous

reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

Incompatible materials: No specific data.

Decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11: Toxicological Information

Toxicological Information (contained substances)

| Hazardous substance (name) | OSHA | IARC | NTP |
|----------------------------|------|------|-----|
| Titanium Dioxide | - | 2B | - |

Acute Toxicity (Conclusion/Summary):

No known significant effects or critical hazards.

Likely Routes of Exposure: Not available.

Eye Contact: Exposure to airborne concentrations above statutory or recommended exposure limits may

cause irritation of the eyes. Inhalation: Exposure to airborne concentrations above statutory or

recommended exposure limits may cause irritation of the nose, throat and lungs. Skin Contact: No known

significant effects or critical hazards. **Injestion:** No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics:

Potential Acute Health Effects:

Eye Contact: Adverse symptoms may include irritation & redness. Inhalation: Adverse symptoms may include respiratory tract irritation, coughing. Skin Contact: No specific data. Injestion: No specific data.

Potential Chronic Health Effects:

General: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity or mutagenicity: No known significant effects or critical hazards.

Other Notes: No known significant effects or critical hazards for teratogenicity, developmental, or fertility effects.

Section 12: Ecological Information

Persistance and Degradability: Not available.

Mobility in Soil: Not available. **Bioaccumulative potential:** Not available.

| Product/Ingredient | Result | Species / Exposure |
|--------------------|---------------------------------------|--|
| Titanium Dioxide | Acute EC50 >1000000 μg/l Fresh water | Daphnia - Daphnia magna / 48 hours |
| | Acute LC50 20000 mg/l Fresh water | Daphnia - Daphnia magna -Neonate / 48 hours |
| | Acute LC50 5.5 ppm Fresh water | Daphnia - Daphnia magna -Juvenile (Fledgling, |
| | | Hatchling, Weanling) / 48 hours |
| | Acute LC50 >1000000 μg/l Marine water | Fish - Fundulus heteroclitus / 96 hours |
| | Chronic NOEC 1 ppm Fresh water | Daphnia - Daphnia magna -Juvenile (Fledgling, Hatchling, |
| | | Weanling) / 48 hours |
| | Chronic NOEC 500 ppm Fresh water | Daphnia - Daphnia magna -Juvenile (Fledgling, |
| | | Hatchling, Weanling) / 48 hours |
| | | |

Section 13: Disposal Information

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with therequirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging

the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal Methods:

Section 14: Transport Information

DOT: Not regulated for transport. **IMO/IMDG:** Not regulated for transport.

IATA: Not regulated for transport.

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure

that persons transporting the product know what to do in the event of an accident or spillage.

Section 15: Regulatory Information

TSCA: All components listed on the TSCA 8(b) inventory.

U.S. Federal regulations: Clean Water Act (CWA) 311: sodium hydroxide

SARA 313 None identified

Toxics in Packaging (CONEG): In compliance.

Canadian DSL: All substances in product are listed or exempted.

Australia inventory (AICS): All components are listed or exempted. **China inventory (IECSC):** All components are listed or exempted.

Japan inventory: All components are listed or exempted. **Korea inventory:** All components are listed or exempted.

International Lists: Malaysia Inventory (EHS Register): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Taiwan inventory (CSNN): Not determined.

Europe Inventory: Please contact your supplier to get the information.

Section 16: Other Information

National Fire Protection Association (U.S.A.)

- 1 Health
- 0 Special
- 0 Instability/Reactivity
- 0 Flammability

SDS Author: Agrilead Regulatory Manager Version Date: 7/6/2015

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.