

# Drift-X™

## Drift-X™

Deposition Agent / Drift Reduction Agent

### Principal Functioning Agents

Soybean oil, octadecanoic acid, 12-hydroxy-homopolymer, ester with alpha, alpha', alpha"-1,2,3-propanetriyltris[omega-hydroxypoly(oxy-1,2-ethanediyl)], poly(oxy-1,2-ethanediyl), alpha-(1-oxo-9-octadecenyl)-omega-hydroxy-(Z)-..... 100%  
Total.....100%

All ingredients are exempt from the requirements of a tolerance as specified in 40 CFR 180, Subpart D.



## KEEP OUT OF REACH OF CHILDREN WARNING

### Hazard Statements

- Causes skin irritation.
- Causes serious eye irritation.
- Harmful if swallowed.

### Precautionary Statements

- Wash thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves and eye/face protection.
- IF SWALLOWED: Rinse mouth.
- Call a poison center or doctor/physician if you feel unwell.
- IF IN EYES: Rinse continuously with water for several minutes.
- Remove contact lenses if present and easy to do; continue rinsing.
- If eye irritation persists, get medical advice/attention.
- IF ON SKIN: Wash skin with plenty of soap and water.
- If skin irritation persists, get medical advice/attention.
- Take off contaminated clothing and wash before reuse.

### Environmental Hazards

**Not for aquatic use.** Do not contaminate water sources by cleaning of equipment or disposal of wastewaters.

### First Aid

**If In Eyes:** Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. If eye irritation persists, get medical attention.

**If Swallowed:** Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If you feel unwell, call a poison control center or physician immediately for treatment advice.

**If Inhaled:** Move person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. If you feel unwell, call a poison control center or physician for further treatment advice.

**If on Skin or Clothing:** Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. If skin irritation occurs, get medical attention. Take off contaminated clothing and wash before reuse.

### General Information

Drift-X is a proprietary drift management adjuvant that is easy to use and does not require any special mixing or handling.

When used properly, Drift-X reduces spray drift and enhances deposition by improving canopy coverage and penetration, reducing droplet bounce, and minimizing formation of small droplets that may be prone to off-target drift or evaporation.

Drift-X improves spray coverage and reduces drift and evaporation of herbicides, defoliant and desiccants being applied by ground or air applications.

Note: Spray drift reduction is dependent upon many factors including equipment and weather conditions. For proper management of spray drift, all factors including nozzle type and configuration, boom height, wind speed and direction, humidity and temperature must be taken into consideration.

California State Reg. No. 45989-50039-AA  
Washington State Reg. No. 45989-17001

### Directions For Ground and Aerial Use

Prior to use, read all directions on this label and on the label of the product to be applied. Always follow the pesticide label use directions for drift management and deposition adjuvants. Some pesticides or pesticide tank mix combinations may cause phytotoxicity to the foliage and/or fruit of susceptible crops when used with adjuvants. It is recommended that the applicator, user, advisor or crop consultant have experience with the combination before adding Drift-X to spray mixes.

Drift-X may be used with flat fan, hollow cone, and coarse spray nozzles. It is suitable for use with the latest nozzle technology including air inclusion, air induction, and venturi-type air induction nozzles.

### Use Rates for Drift Management and Deposition

Spray Volume	Rate of Drift-X
<10 GPA	2-3 oz/acre
10-25 GPA	3-4 oz/acre

**For Spray Volumes Greater Than 20 GPA:** Use Drift-X at a rate of 0.25% v/v (1 quart per 100 gallons of spray solution). Do not exceed a use rate of 1% v/v.

### Mixing Instructions

Fill sprayer 1/2 full with water. Add dry flowables or dispersible granules. Add emulsifiable concentrates. Continue to agitate and continue filling until tank is 3/4 full. Add Drift-X last while agitating and completing filling of tank.

Do not mix with other adjuvants in undiluted form. Once diluted in the spray tank, Drift-X is compatible with most other additives, agrochemicals and fertilizers. Use a jar test to determine compatibility of tank mix constituents.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal of this product.

**Storage:** Do not store below 32°F or above 120°F. Store in a dry place. Store in tightly closed container in well-ventilated area.

**Disposal:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers may also be disposed of in a sanitary landfill. Dispose of contents/container in accordance with local and national regulations.

## DRIFT-X IS NOT FOR AQUATIC USE

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.*



# KALO

Drift-X is a trademark of KALO, Inc.

#### CONDITIONS OF SALE, LIMITED WARRANTY, AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded. The directions of this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of KALO, Inc., the manufacturer or seller. In addition, failure to follow label directions may cause injury to crops, animals, workers or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind express or implied concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at KALO, Inc.'s election, one of the following:

1. Refund of the purchase price paid by buyer or user for product purchased, or,
2. Replacement of the product used.

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company, the manufacturer and seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.



**KALO, Inc.**  
13200 Metcalf Ave., Suite 250, Overland Park, KS 66213  
800-255-5196 • [www.kalo.com](http://www.kalo.com)

Scan QR Code to open KALO's Labels & SDS page on [www.kalo.com](http://www.kalo.com)