

SECTION 1: IDENTIFICATION

1.1.	Company Information KALO, Inc., 13200 Metcalf Ave., Ste. 250, Overland Park, KS 66213			
1.2.	Phone Numbers	800-255-5196 / 913-491-9146 FAX		
1.3.	Website	www.kalo.com		
1.4.	Product Identity	CAPSTAR		
1.5.	Reference/Item Number	CAP01, CAP02, CAP30, CAP55, CAP265		
1.6.	Intended Use	Refer to package label.		
1.7.	Application Method	Refer to package label.		
1.8.	24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)	1-800-424-9300		
1.9.	POISON CONTROL CENTER (USA)	1-800-222-1212		

SECTION 2: HAZARDS IDENTIFICATION

2.1. LABEL ELEMENTS: Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:

🕐 WARNING

2.2. Acute Tox 5:	H303: May be harmful if swallowed. (Not adopted by U.S. OSHA.)
2.3. Skin Irrit 2:	H315: Causes skin irritation.
2.4. Eye Irrit 2:	H319: Causes serious eye irritation.
2.5. Prevention:	P280: Wear protective gloves and eye/face protection. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke while using this product.
2.6. Response:	 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists, get medical advice/attention. P301+330: IF SWALLOWED: Rinse mouth. P312: Call a poison center or doctor/physician if you feel unwell. P302+352: IF ON SKIN: Wash with plenty of soap and water. P332+313: If skin irritation occurs, get medical attention. P362: Take off contaminated clothing and wash before reuse. P321: SPECIFIC TREATMENT: See Section 4 of this SDS. P391: Collect spillage.
2.7. Storage:	No GHS storage statements.
2.8. Disposal:	P501: Dispose of contents/container in accordance with local/national regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7). The chemical identities and exact weight percentages are being withheld as a Trade Secret.

3.1.	Ingredient/Chemical Designations:	Proprietary blend of surfactants
3.2.	CAS No.:	0064366-70-7
3.3.	Weight %:	100
3.4.	Notes:	Substance classified with a health or environmental hazard.



SECTION 4: FIRST AID MEASURES

DESCRIPTIONS	
4.1. General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
4.2. Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
4.3. Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.
4.4. Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.
4.5. Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	
4.6. Overview:	No adverse symptoms or effects anticipated under normal handling conditions. See Section 2 for further details.
4.7. Eyes:	Causes serious eye irritation.
4.8. Skin:	Causes skin irritation.
4.9. Ingestion:	May be harmful if swallowed. (Not adopted by U.S. OSHA.)

SECTION 5: FIREFIGHTING MEASURES

5.1.	1. Extinguishing Media: Alcohol resistant foam, CO ² , powder, or water spray. Do not use water jet.			
5.2.	Special Hazards Arising From the Substance/Mixture:	Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed. Never use welding or cutting torches on or near container, even if empty.		
5.3.	Advice For Firefighters:	Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire-exposed surfaces and personnel.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1.	Personal Precautions, Protective Equipment, Emergency Procedures:	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.
6.2. Environmental Precautions: Do not allow spills to enter drains or water courses.		Do not allow spills to enter drains or water courses.
6.3.	Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions For Safe Handling:	Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and wash before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Have eyewash accessible to use in handling area. See Section 2 for further details.
7.2. Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area, away from excessive heat and incompatibles. See Section 2 for further details.
7.3. Incompatible Materials:	Oxidizing agents.
7.4. Specific End Use(s):	See product label.



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS/EXPOSURE

CAS No.	Ingredient	Source	Value		
		OSHA	TWA: 50 ppm (240 mg/m³) [skin]		
Proprietary	2-Butoxy-ethanol	ACGIH	TWA: 20 ppm		
		NIOSH	TWA: 5 ppm (24 mg/m³) [skin]		
EXPOSURE CONTRO	EXPOSURE CONTROLS				
8.2. Respiratory:		If workers are exposed to concentrations above the exposure limit, they must use the appropriate certified respirators.			
8.3. Eyes:		ear safety eyewear (e.g. s	afety spectacles/goggles/visors) to protect against the splash of liquids.		
8.4. Skin:		Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.			
8.5. Engineering	Frovide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local experime controls: 5. Engineering Controls: ventilation and good general extraction. If these are not sufficient to maintain concentrations of particula any vapor below occupational exposure limits, suitable respiratory protection must be worn.		I extraction. If these are not sufficient to maintain concentrations of particulates, and		
8.6. Other Work Practices: See product label.					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. The physical properties and reported values are typical values based on the material tested but may vary from sample to sample. Thus, typical values should not be construed as a guaranteed analysis of any specific lot/batch or specification item.

Appearance:	Clear Pale Yellow Liquid	Initial Boiling Point/Range:	Not Measured
Odor:	Mild	Melting Point/Range:	Not Measured
Odor Threshold:	Not Measured	Flammability (Solid, Gas):	Not Measured
pH:	2.6 - 3.3 (1% dil in water)	Upper Flammability/Explosive Limits:	Not Measured
Specific Gravity:	1.01 - 1.04	Lower Flammability/Explosive Limits:	Not Measured
Flashpoint and Method:	>200°F (>93.33°C) SFCC	Decomposition Temperature:	Not Measured
Solubility in Water:	Not Measured	Auto-Ignition Temperature:	Not Measured
Viscosity (cSt):	>20 @ 40°C	Volatility:	Not Measured
Viscosity (kinematic):	Not Measured	Molecular Weight:	Not Measured
VOC%:	Not Measured	Oxidizing Properties:	Not Measured
Vapor Pressure (Pa):	Not Measured	Partition Co-Efficient n-octanol/water (Log Pow):	Not Measured
Vapor Density (air=1):	Not Measured	Evaporation Rate (Butyl Acetate=1):	Not Measured
Density (water=1):	Not Measured	Surface Tension:	Not Measured
Density (liquid):	Not Measured	Particle Size:	Not Measured
Freezing Point:	Not Measured	Other:	No other relevant information.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:	Not chemically reactive.
10.2. Chemical Stability: Stable under normal ambient and anticipated conditions of use.	
10.3. Possibility of Hazardous Reactions:	Hazardous reactions not anticipated.
10.4. Conditions To Avoid:	Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.
10.5. Incompatible Materials:	Oxidizing agents.
10.6. Hazardous Decomposition Products:	Not anticipated under normal conditions of use.



SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATE (ATE): NOTE: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE.

11.1. Ingredients:	Proprietary Blend of Surfactants
11.2. Oral, LD50mg/kg:	>2,000.00
11.3. Skin, LD50mg/kg:	>5,000.00
11.4. Inhalation Vapor, LC50, mg/L/4hr:	>20.00
11.5. Inhalation Dust/Mist, LC50, mg/L/4hr:	No Data Available
11.6. Inhalation Gas, LC50, ppm:	No Data Available

11.7. Carcinogen Data: This

gen Data: This product contains the following ingredients (at greater than 0.1%) that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC.

CAS No.	Ingredient	Source	Value	
	i-2 2-Butoxy-ethanol	OSHA	Select Carcinogen: No	
0000111-76-2		NTP	Known: No / Suspected: No	
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No /	Group 4: No
CLASSIFICATION		HAZARD DESCRIPTION	HAZARD DESCRIPTION	
Acute Toxicity (mo	puth):	May be harmful if swa	llowed. (Not adopted by U.S. OSHA.)	4
Acute Toxicity (sk	in):	Not Applicable		
Acute Toxicity (inl	halation):	Not Applicable	Not Applicable	
Skin Corrosion/Irr	ritation:	Causes skin irritation.		2
Eye Damage/Irritation:		Causes serious eye irr	Causes serious eye irritation.	
Sensitization (respiratory):		Not Applicable	Not Applicable	
Sensitization (skin	1):	Not Applicable		
Germ Toxicity:		Not Applicable		
Carcinogenicity :	Carcinogenicity:		Not Applicable	
Reproductive Toxicity:		Not Applicable		
Specific Target Organ Systemic Toxicity-Single Exposure:		Not Applicable		
Specific Target Organ Systemic Toxicity-Repeated Exposure:		Not Applicable	Not Applicable	
Aspiration Hazard:		Not Applicable		

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:	No additional information provided for this product.
12.2 Aquatic Ecotoxicity:	Toxic to aquatic life with long-lasting effects. Ecotoxicity studies have not been conducted on this preparation.
12.3. Persistence and Degradability:	There is no data available on the preparation itself.
12.4. Bioaccumulative Potential:	Not available.
12.5. Mobility In Soil:	No data available.
12.6. Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.
12.7. Other Adverse Effects:	No data available.



SECTION 13: DISPOSAL CONSIDERATIONS

13.1.	Waste	Treatment	Methods:
-------	-------	-----------	----------

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.

13.2. Recycling Consideration:

Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit www.agrecycling.org.

SECTION 14: TRANSPORT INFORMATION

14.1. DOT Proper Shipping Name:	Not Applicable
14.2. DOT Hazard Class:	Not Regulated
14.3. DOT Packing Group:	Not Regulated
14.4. DOT Label:	Not Regulated
14.5. IMDG Proper Shipping Name:	REGULATED IN CONTAINERS GREATER THAN 119 GALLONS ONLY! UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (tallow amine ethoxylate), 9, PG III, Marine Pollutant
14.6. IMDG Hazard Class:	9
14.7. IMDG Packing Group:	III
14.8. IMDG Marine Pollutant:	Yes
14.9. ICAO/IATA:	UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (tallow amine ethoxylate), 9, PG III, Marine Pollutant
14.10 CERCLA/DOT RQ	This material is shipped as a Class 9, Packing Group III (marine pollutant) when each package meets or exceeds 119 gallons (450 liters). Otherwise, it may be shipped as not regulated. (49 CFR § 171.4(c)(1))).

SECTION 15: REGULATORY INFORMATION

15.1. Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).
15.2. Toxic Substance Control Act (TSCA):	All ingredients of this product are listed on the TSCA inventory, or are not required to be listed on the TSCA inventory.
15.3. National Fire Protection Association (NFPA):	Health Hazards: 1 Flammability: 0 Instability: 0 Special Hazards: ND
15.4. U.S. EPA Tier II Hazards:	Fire=NQ Sudden Release of Pressure=NQ Reactive=NQ Immediate (acute)=YES Delayed (chronic)=NQ
15.5. EPCRA 302–Extremely Hazardous (0.1%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.6. EPCRA 311/312-Chemicals and RQs (>0.1%):	Ethane-1,2-diol (5,000.00) / Phosphoric acid (5,000.00)
15.7. EPCRA 313–Toxic Chemicals (>0.1%):	2-Butoxy-ethanol / Ethane-1,2-diol
15.8. Proposition 65–Carcinogens (>0.0%):	Ethylene oxide / 1,4-dioxane
15.9. Proposition 65-Developmental Toxins (>0.0%):	Ethane-1,2-diol
15.10. Proposition 65–Female Repro Toxins (>0.0%):	Ethylene oxide / Ethane-1,2-diol
15.11. Proposition 65–Male Repro Toxins (>0.0%):	Ethylene oxide / Ethane-1,2-diol
15.12. Proposition 65–Label Warning:	WARNING: This product can expose you to chemicals including ethylene oxide and ethane-1,2-diol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.
15.13. N.J. RTK Substances (>1%):	2-Butoxy-ethanol
15.14. PENN RTK Substances (>1%):	2-Butoxy-ethanol

SECTION 16: OTHER INFORMATION

16.1. The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Company accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.